

ASRock B650 PG LIGHTNING


 Dostupnost: NEMA NA
STANJU

MP cena: 24.790,00 din

Šifra proizvoda: PLO03525

21.790,00 din

Ušteda: 3.000,00 din

Opis

Specifikacija

Osnovne karakteristike

Procesorsko ležište (socket) AMD AM5

Čipset AMD B650

Grafika AMD RDNA 2

Memorija

Tip memorije DDR5

Memorijski slotovi 4x DDR5

Podržane memorije 7.200MT/s (O.C.)

Maksimalna ukupna memorija 192GB

Ostale osobine Podrška za AMD EXTended Profiles for Overclocking (EXPO), Podrška za Extreme Memory Profile (XMP)

Slotovi

PCI Express x16 slot 1x PCI Express 4.0 (x16 mode)

PCI Express x1 slot 2x PCI Express 4.0

PCI slot 3

Ostali slotovi 4x M.2 Socket

Ostali slotovi	1x M.2 Socket
----------------	---------------

Skladišni interfejs

SATA priključci (ukupno)	4
--------------------------	---

SATA priključci	4x SATA III
-----------------	-------------

Ostali skladišni interfejs	1 x Blazing M.2 Socket (M2_1), 1 x Hyper M.2 Socket (M2_1), 1x M.2
----------------------------	--

RAID	RAID 0, RAID 1, RAID 10
------	-------------------------

Mreža

Žična mreža (LAN)	1x 10/100/1000/2500 Mbps (2.5GbE)
-------------------	-----------------------------------

Model	Dragon RTL8125BG
-------	------------------

Audio

Broj kanala	8 (7.1)
-------------	---------

Model	Realtek ALC897 Codec
-------	----------------------

Napomena	Nahimic Audio
----------	---------------

Priključci na zadnjem panelu

HDMI priključci	1x HDMI
-----------------	---------

Ukupno USB priključaka	12
------------------------	----

USB 3.2 priključci	1 (Tip C) Gen2x2, 7 (Tip A) Gen1
--------------------	----------------------------------

RJ-45 (LAN)	1
-------------	---

USB 2.0 priključci	4 (Tip A)
--------------------	-----------

Audio	HD audio konektori
-------	--------------------

Ostali priključci	2 x Antenna Mounting Points
-------------------	-----------------------------

Unutrašnji priključci

Naponski priključci	1 x 24 pin ATX Power Connector, 2x 8 pin 12V Power Connector
---------------------	--

USB 3.2	1 (podrška za 2 USB 3.2 Gen 1 porta), 1 (Tip C) Gen2 Header
---------	---

USB 2.0	2 (podrška za 4 USB 2.0 porta)
---------	--------------------------------

Audio	1x Front panel audio
-------	----------------------

	1 x 4-pin CPU Fan connector, 1 x Chassis/Water Pump Fan Connector (4-pin), 1 x CPU/Water Pump Fan
--	---

Ostali priključci	1 x 4-pin CPU Fan Connector, 1 x Chassis Water Pump Fan Connector (4-pin), 1 x CPU Water Pump Fan Connector (4-pin), 1 x Power LED and Speaker Header, 1 x RGB LED header, 1 x SPI TPM header, 3 x Address
--------------------------	--

Napomena Za iskorišćavanje određenih internih konektora potrebni su dodatni bracket-i ili priključci na kućištu

Ostale karakteristike

Podržane tehnologije ASRock Auto Driver Installer, ASRock Full HD UEFI, ASRock Instant Flash, ASRock Motherboard Utility (Phantom Gaming Tuning), ASRock Phantom Gaming LAN Software, ASRock Polychrome SYNC

Fizičke karakteristike

Format ATX

Dimenzije 305mm x 244mm

Reklamacioni period

Reklamacioni period 36 meseci

Reklamacioni period 36 meseci